

# SAFETY DATA SHEET

Elector 480 G/L

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

: Elector 480 G/L **Product name** : 124000000277 **Product code Product description** : Not available.

AH0495; Elanco AH0495 Elector PSP Animal Premise Spray; Elector; Elector 480 G/ Other means of

identification L; Elector PSP

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : Biocide.

Uses advised against : Human Health

1.3 Details of the supplier of the safety data sheet

Elanco Hungary Korlátolt Felelősségű Társaság

1117 Budapest, Október huszonharmadika utca 8-10. Allee Corner. ép. 4. em

Telephone number : Not Available

e-mail address of person

responsible for this SDS

: elanco sds@elancoah.com

### 1.4 Emergency telephone number

**Supplier or Manufacturer** 

**Supplier Emergency** telephone number

: CHEMTREC: 36-18088425 (local)

**Transportation** 

**Emergency telephone** 

number

: CHEMTREC: 36-18088425 (local)

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

**Product definition** : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Aquatic Acute 1, H400 Aquatic Chronic 1, H410

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Ingredients of unknown

toxicity

: 14.8 percent of the mixture consists of component(s) of unknown acute dermal

toxicity

9.9 percent of the mixture consists of component(s) of unknown acute inhalation

toxicity

Ingredients of unknown

ecotoxicity

: Contains 9.9% of components with unknown hazards to the aquatic environment

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

#### 2.2 Label elements

Product name: **ELECTOR HU: ENGLISH** 1/13

### **SECTION 2: Hazards identification**

**Hazard pictograms** 



Signal word : Warning

**Hazard statements** : H410 - Very toxic to aquatic life with long lasting effects.

**Precautionary statements** 

**Prevention**: P273 - Avoid release to the environment.

Switzerland:

P280 - Wear protective clothing. P284 - Wear respiratory protection.

**Response** : P391 - Collect spillage.

Storage : Not applicable.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional,

national and international regulations.

Switzerland: P501 - Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Supplemental label

elements

: Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

**Special packaging requirements** 

Containers to be fitted with child-resistant

fastenings

: Not applicable.

Tactile warning of danger: Not applicable.

**Biocidal products regulation** 

**Active substances** 

Ingredient name		%
spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50)	-	<50
1,2-benzisothiazol-3(2H)-one	-	0.04

#### 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII : This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do not result in classification

: None known.

## **SECTION 3: Composition/information on ingredients**

3.2 Mixtures : Mixture

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре

Product name: ELECTOR HU: ENGLISH

SECTION 3: Composition/information on ingredients						
spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50)	EC: 434-300-1 CAS: 168316-95-8 Index: 603-209-00-0	≥25 - ≤50	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M [Acute] = 10 M [Chronic] = 10	[1]	
1,2-benzisothiazol-3(2H)- one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.05	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 See Section 16 for the full text of the H statements declared above.	ATE [Oral] = 1020 mg/kg Skin Sens. 1, H317: C ≥ 0.05% M [Acute] = 10 M [Chronic] = 10	[1]	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

### SECTION 4: First aid measures

### 4.1 Description of first aid measures

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

: Flush contaminated skin with plenty of water. Remove contaminated clothing and **Skin contact** 

shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. If material has been swallowed and the exposed

person is conscious, give small quantities of water to drink. Do not induce vomiting

unless directed to do so by medical personnel.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

### 4.2 Most important symptoms and effects, both acute and delayed

### **Over-exposure signs/symptoms**

**Eye contact** : No specific data. Inhalation : No specific data. **Skin contact** : No specific data. Ingestion : No specific data.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

**Specific treatments** : No specific treatment.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media

: Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing** 

media

: None known.

Product name: **ELECTOR HU: ENGLISH** 3/13

### SECTION 5: Firefighting measures

### 5.2 Special hazards arising from the substance or mixture

**Hazards from the** substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst. This material is very toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

**Hazardous combustion** products

Decomposition products may include the following materials: carbon dioxide

carbon monoxide nitrogen oxides sulfur oxides

### 5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective** equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

### SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

### 6.2 Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

#### 6.3 Methods and materials for containment and cleaning up

**Small spill** 

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

### Large spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

### 6.4 Reference to other sections

See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

### SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

Product name: **ELECTOR HU: ENGLISH** 4/13

### SECTION 7: Handling and storage

#### **Protective measures**

: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Keep out of reach of children.

### Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### Seveso Directive - Reporting thresholds

### **Danger criteria**

	Notification and MAPP threshold	Safety report threshold
E1	100 tonne	200 tonne

#### 7.3 Specific end use(s)

Recommendations : Not available. **Industrial sector specific** : Biocide solutions

### **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

#### 8.1 Control parameters

### Occupational exposure limits

Product/ingredient name	Exposure limit values
No exposure limit value known.	

#### **Biological exposure indices**

None known.

# procedures

**Recommended monitoring**: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

Product name: **ELECTOR HU: ENGLISH** 5/13

### **SECTION 8: Exposure controls/personal protection**

Product/ingredient name	Type	Exposure	Value	Population	Effects
1,2-benzisothiazol-3(2H)-one	DNEL	Long term Dermal	0.345 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0.966 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	1.2 mg/m <sup>3</sup>	General population	Systemic
	DNEL	Long term Inhalation	6.81 mg/m <sup>3</sup>	Workers	Systemic

### **PNECs**

No PNECs available.

### 8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Individual protection measures

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Date of previous issue : No previous validation

6/13

### SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state : Liquid. [Suspension]

Color : White.

Odor : Not available.
Odor threshold : Not available.

Product name: ELECTOR HU: ENGLISH

### SECTION 9: Physical and chemical properties

Melting point/freezing point

Initial boiling point and

boiling range

: Not available. : 100°C (212°F)

**Flammability** Lower and upper explosion

limit

: Not available. Not available.

: Not available.

Flash point

Closed cup: >93°C (>199.4°F)

**Auto-ignition temperature** 

°C °F Ingredient name **Method** propane-1,2-diol 371 699.8

**Decomposition temperature** 

pН Not available. **Viscosity** Not available.

Solubility(ies)

Media Result cold water Easily soluble Easily soluble hot water

Solubility in water Partition coefficient: n-octanol/ : Not applicable.

water

: Not available.

Vapor pressure

	Vapor Pressure at 20°C			Vapo	r pressu	re at 50°C
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	23.8	3.2				
propane-1,2-diol	0.15	0.02	EU A.4			

**Evaporation rate** : Not available.

**Relative density** 1.09

**Density** : 1.09 g/cm<sup>3</sup> Vapor density : Not available. **Explosive properties** : Not available.

**Oxidizing properties** : No oxidizing ingredients present.

**Particle characteristics** 

Median particle size : Not applicable.

### **SECTION 10: Stability and reactivity**

: No specific test data related to reactivity available for this product or its ingredients. 10.1 Reactivity

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials : No specific data.

10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Product name: **ELECTOR HU: ENGLISH** Version: 0.01 Date of revision: 9 November 2022 7/13 Date of previous issue : No previous validation

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Elector 480 G/L	LD50 Oral	Rat	5000 mg/kg	-
spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50)	LC50 Inhalation Dusts and mists	Rat	>5180 mg/m³	4 hours
,	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Dermal	Rat	2800 mg/kg	-
	LD50 Oral	Rat	3738 mg/kg	-
1,2-benzisothiazol-3(2H)- one	LD50 Oral	Rat	1020 mg/kg	-

Conclusion/Summary : No

: Not available.

### **Acute toxicity estimates**

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
Elector 480 G/L	5000	N/A	N/A	N/A	N/A
spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50)	3738	2800	N/A	N/A	N/A
1,2-benzisothiazol-3(2H)-one	1020	N/A	N/A	N/A	N/A

### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
1,2-benzisothiazol-3(2H)-one	Skin - Mild irritant	Human	-	48 hours 5 %	-

**Conclusion/Summary**: Not available.

**Sensitization** 

**Conclusion/Summary**: Not available.

**Mutagenicity** 

**Conclusion/Summary**: Not available.

Carcinogenicity

**Conclusion/Summary**: Not available.

**Reproductive toxicity** 

**Conclusion/Summary**: Not available.

**Teratogenicity** 

Conclusion/Summary: Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

### **Aspiration hazard**

Not available.

Information on the likely routes of exposure

: Not available. In animals, has been shown to cause vacuolation of cells in liver, kidney, and bone tissues and changes in blood and serum biochemistry. Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use. (Spinosad)

Based on available data, the classification criteria are not met.

### Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

Product name: ELECTOR HU: ENGLISH

Version :0.01 Date of revision :9 November 2022

8/13

### **SECTION 11: Toxicological information**

: No known significant effects or critical hazards. Ingestion

### Symptoms related to the physical, chemical and toxicological characteristics

: No specific data. **Eye contact** Inhalation : No specific data. Skin contact : No specific data. : No specific data. Ingestion

### Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

**Potential immediate** : Not available.

effects

**Potential delayed effects** : Not available.

**Long term exposure** 

**Potential immediate** : Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

**Conclusion/Summary** : Not available.

General : No known significant effects or critical hazards. **Carcinogenicity** : No known significant effects or critical hazards. : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. Reproductive toxicity

### 11.2 Information on other hazards

### 11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

Not available.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Elector 480 G/L	EC50 17921.146484375 mg/l	Daphnia	48 hours
	LC50 1272.401489258 mg/l	Fish	96 hours
spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50)	EC50 7.37 mg/l	Daphnia	48 hours
Í	LC50 4.5 mg/l (flow through)	Fish - Cyprinus carpio	96 hours
	NOEC 1.4 mg/l	Algae - Lemna minor	-
	NOEC 0.0012 mg/l (flow thorugh)	Daphnia	21 days
	NOEC 0.5 mg/l Early life-stage (flow thorugh)	Fish	-
1,2-benzisothiazol-3(2H)-one	Acute EC50 97 ppb Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 10 to 20 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia	48 hours
	Acute LC50 167 ppb Fresh water	Fish - Oncorhynchus mykiss	96 hours

**Conclusion/Summary** : Not available.

12.2 Persistence and degradability

**Conclusion/Summary** : Not available.

12.3 Bioaccumulative potential

Product name: **ELECTOR HU: ENGLISH** 9/13

### **SECTION 12: Ecological information**

Product/ingredient name	LogPow	BCF	Potential
spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50)	4	-	high

### 12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Not available.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

#### **Product**

**Methods of disposal** 

- The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
- **Switzerland**: Consult your local or regional authorities.

**Hazardous waste** 

**Packaging** 

**Methods of disposal** 

- : The classification of the product may meet the criteria for a hazardous waste.
- : The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** 

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Date of previous issue : No previous validation

10/13

## **SECTION 14: Transport information**

14.1 UN number or ID numberUN3082UN3082UN3082UN308214.2 UN proper shipping nameENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50: 50))ENVIRONMENTALLY HAZARDOUS HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50: 50))ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50: 50))	ADR/RID	ADN	IMDG	IATA
Shipping name  HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:  HAZARDOUS SUBSTANCE, SUBSTANCE, LIQUID, N.O.S. (spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:  HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:  HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:  HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:	UN3082	UN3082	UN3082	UN3082
] "	 HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:	HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:	HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:	SUBSTANCE, LIQUID, N.O.S. (spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:

Product name: ELECTOR HU: ENGLISH

### **SECTION 14: Transport information**

14.3 Transport hazard class(es)	9	9	9	9
14.4 Packing group	III	III	III	
14.5 Environmental hazards	Yes.	Yes.	Yes.	Yes.

### Additional information

ADR/RID : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2

and 4.1.1.4 to 4.1.1.8.

Tunnel code (-)

: This product is not regulated as a dangerous good when transported in sizes of ≤5 L **ADN** 

or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2

and 4.1.1.4 to 4.1.1.8.

**IMDG** This product is not regulated as a dangerous good when transported in sizes of ≤5 L

or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2

and 4.1.1.4 to 4.1.1.8.

: This product is not regulated as a dangerous good when transported in sizes of ≤5 L **IATA** 

or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1,

5.0.2.6.1.1 and 5.0.2.8.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO

instruments

: Not available.

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

**Annex XIV** 

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Other EU regulations

**Industrial emissions** : Not listed

(integrated pollution prevention and control) -

Air

**Industrial emissions** : Not listed

(integrated pollution prevention and control) -

Water

Ozone depleting substances (1005/2009/EU)

Product name: **ELECTOR HU: ENGLISH** Version: 0.01 11/13 Date of previous issue : No previous validation

### **SECTION 15: Regulatory information**

Not listed.

### Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

### **Persistent Organic Pollutants**

Not listed.

### **Seveso Directive**

This product is controlled under the Seveso Directive.

### **Danger criteria**

Category	
E1	

### **Biocidal products regulation**

#### **Active substances**

Ingredient name		%
spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50)	-	<50
1,2-benzisothiazol-3(2H)-one	-	0.04

### 15.2 Chemical Safety **Assessment**

: This product contains substances for which Chemical Safety Assessments are still required.

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

**Abbreviations and** acronyms

: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement

N/A = Not available

PBT = Persistent. Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

SGG = Segregation Group

vPvB = Very Persistent and Very Bioaccumulative

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification	
Aquatic Acute 1, H400 Aquatic Chronic 1, H410	Calculation method Calculation method	

### Full text of abbreviated H statements

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### Full text of classifications [CLP/GHS]

TOXICITY - Category 4
ΓIC HAZARD (ACUTE) - Category 1
TIC HAZARD (LONG-TERM) - Category 1
US EYE DAMAGE/ EYE IRRITATION - Category 1
CORROSION/IRRITATION - Category 2
ENSITIZATION - Category 1
)

Product name: **ELECTOR HU: ENGLISH** 12/13

### **SECTION 16: Other information**

Date of issue/ Date of

revision

: 11/9/2022

Date of previous issue

: No previous validation

**Version** : 0.01

### **Notice to reader**

As of the date of issuance, we are providing available information relevant to the handling of this material in the workplace. All information contained herein is offered with the good faith belief that it is accurate. THIS SAFETY DATA SHEET SHALL NOT BE DEEMED TO CREATE ANY WARRANTY OF ANY KIND (INCLUDING WARRANTY OF MERCHANT ABILITY OR FITNESS FOR A PARTICULAR PURPOSE). In the event of an adverse incident associated with this material, this safety data sheet is not intended to be a substitute for consultation with appropriately trained personnel. Nor is this safety data sheet intended to be a substitute for product literature which may accompany the finished product.

For additional information contact: **Elanco Animal Health** 0011+1-877-352-6261

0011+1-800-428-4441

Product name: **ELECTOR HU: ENGLISH** Version: 0.01

Date of revision: 9 November 2022